

The New England Journal of Medicine (NEJM) remote-access


1. Create Account เพื่อเข้าใช้ฐานข้อมูลจากภายนอก
 - 1.1 เข้าเว็บไซต์: <https://www.nejm.org/>
** เงื่อนไขการ Create account ครั้งแรกต้องสร้างภายใต้ระบบเครือข่าย (IP Range) ของโรงพยาบาล
 - 1.2 Click ที่เมนู "Create account" มุมบนขวา
 - 1.3 ทำตามขั้นตอนที่ระบบแนะนำไปจนจบ

The screenshot shows the NEJM website homepage. A red box highlights the address bar with the URL <https://www.nejm.org/>. Another red box highlights the 'Create Account' button in the top right navigation bar. A third red box highlights the 'Create Account' button in a blue overlay box on the right side of the page. The main content area features an 'ORIGINAL ARTICLE' titled 'Liquefied Petroleum Gas and Effects on Severe Infant Pneumonia' by E.D. McCollum and Others. Below the article title is a forest plot showing Relative Risk (95% CI) for various subgroups. The subgroups include Overall, Country (Guatemala, India, Peru, Rwanda), Maternal height (<151 cm, 151-154 cm, ≥155 cm), Infant sex (Male, Female), Socioeconomic status index (Median), Food insecurity (Median), Gestation at time of intervention (<18 wk, ≥18 wk), and Small size for gestational age (<-1.28 z scores, ≥-1.28 z scores). The forest plot shows that for most subgroups, the Relative Risk is close to 1.0, indicating no significant difference in outcomes between the intervention and control groups.

Subgroup	Intervention	Control	Relative Risk (95% CI)
Overall	351/515 (68.1%)	295/386 (76.4%)	1.00 (0.94-1.06)
Country			
Guatemala	97/207 (46.9%)	91/210 (43.3%)	1.05 (0.87-1.26)
India	222/276 (80.4%)	212/280 (75.7%)	1.27 (0.94-1.70)
Peru	47/279 (16.9%)	51/315 (16.2%)	1.00 (0.70-1.43)
Rwanda			
Maternal height			
<151 cm	206/495 (41.6%)	179/485 (36.9%)	1.34 (0.99-1.84)
151-154 cm	73/207 (35.3%)	71/211 (33.7%)	1.00 (0.84-1.19)
≥155 cm	64/204 (31.4%)	69/200 (34.5%)	0.96 (0.62-1.51)
Infant sex			
Male	185/408 (45.3%)	182/405 (44.9%)	1.05 (0.90-1.23)
Female	126/207 (60.9%)	113/281 (40.2%)	1.29 (0.98-1.69)
Socioeconomic status index			
Median	290/357 (81.2%)	175/222 (78.8%)	1.08 (0.93-1.26)
Food insecurity			
Median	171/414 (41.3%)	124/264 (47.0%)	1.00 (0.82-1.21)
Gestation at time of intervention			
<18 wk	152/292 (52.1%)	295/386 (76.4%)	1.00 (0.96-1.05)
≥18 wk	164/274 (59.9%)	295/386 (76.4%)	1.34 (1.00-1.79)
Small size for gestational age			
<-1.28 z scores	172/375 (45.9%)	168/405 (41.5%)	1.10 (0.94-1.28)
≥-1.28 z scores	169/240 (70.4%)	127/281 (45.2%)	1.01 (0.96-1.07)

Started

https://store.nejm.org/signup/nejm/register/default?promo=ONFQRE01

 The NEW ENGLAND
JOURNAL of MEDICINE

1.3

Create an Account

Already have an account? [Sign in](#)

1 2 3 4

Email Address

CONTINUE →


Account Benefits

Your complimentary NEJM.org account allows you to:

- Read 2 subscriber-only articles of your choice each month
- Be the first to know what's published with the Weekly Table of Contents emails
- Sign up for your choice of 20 specialty-specific email alerts
- Save relevant articles and searches for easy retrieval

Started

https://store.nejm.org/signup/nejm/register/default?promo=ONFQRE01#location

 The NEW ENGLAND
JOURNAL of MEDICINE

1.4

Create an Account

Already have an account? [Sign in](#)

1 2 3 4

Country/Region

Thailand

CONTINUE →

Account Benefits

Your complimentary NEJM.org account allows you to:

- Read 2 subscriber-only articles of your choice each month
- Be the first to know what's published with the Weekly Table of Contents emails
- Sign up for your choice of 20 specialty-specific email alerts
- Save relevant articles and searches for easy retrieval



Create an Account

Already have an account? [Sign in](#)

1.5



Professional Category

Role

Place of Work or Study

CONTINUE →

Account Benefits

Your complimentary NEJM.org account allows you to:

- Read 2 subscriber-only articles of your choice each month
- Be the first to know what's published with the Weekly Table of Contents emails
- Sign up for your choice of 20 specialty-specific email alerts
- Save relevant articles and searches for easy retrieval

NEJM, NEJM Catalyst, and NEJM Evidence account holders now have a unified login experience for all three sites. *Full access to subscriber-only content requires individual subscriptions to NEJM, NEJM Catalyst, and NEJM Evidence.

https://store.nejm.org/signup/nejm/register/default?promo=ONFQRE01#namePwd

Already have an account? [Sign in](#)

1.6

1 — 2 — 3 — 4

First Name

Last Name

Create Password

☐ Remember me

☐ Email me information about updates, services or special offers from NEJM Group.

☐ Stay informed with Weekly Table of Contents emails.

CREATE ACCOUNT →

Your complimentary NEJM.org account allows you to:

- Read 2 subscriber-only articles of your choice each month
- Be the first to know what's published with the Weekly Table of Contents emails
- Sign up for your choice of 20 specialty-specific email alerts
- Save relevant articles and searches for easy retrieval

NEJM, NEJM Catalyst, and NEJM Evidence account holders now have a unified login experience for all three sites. *Full access to subscriber-only content requires individual subscriptions to NEJM, NEJM Catalyst, and NEJM Evidence.

Already an NEJM print subscriber?

[Activate](#) to get full subscriber access to NEJM.org.

2. การ Sign in เพื่อเข้าใช้ฐานข้อมูล

2.1 เข้าเว็บไซต์: <https://www.nejm.org/>

2.2 Click ที่เมนู "Sign In" มุมบนขวา

2.3 ทำตามขั้นตอนที่ระบบแนะนำไปจนจบ

2.1

2.2

Sign In

Create Account

SUBSCRIBE

Stay connected to what's important in medical research and clinical practice

CREATE ACCOUNT →

What is the diagnosis?

ANSWER →

Image of the Week

→

William R. Hoots, Jr., & Charles M. Merson

ORIGINAL ARTICLE

Liquefied Petroleum Gas and Effects on Severe Infant Pneumonia

E.D. McCollum and Others

In this trial involving pregnant women in low- and middle-income countries, cooking with LPG instead of biomass did not lead to a lower incidence of severe infant pneumonia, despite lower levels of household air pollutants.

FREE

JAN 04

Setting	Intervention	Control	Relative Risk (95% CI)
Overall	321/1171 (27.4)	299/1184 (25.3)	1.10 (0.94-1.29)
Country			
Guatemala	130/309 (42.1)	136/311 (43.7)	1.13 (0.97-1.30)
India	90/307 (29.3)	90/310 (29.0)	1.05 (0.85-1.30)
Peru	22/278 (7.9)	17/290 (5.9)	1.17 (0.64-2.10)
Kenya	47/279 (16.8)	51/310 (16.5)	1.00 (0.79-1.27)
Maternal height			
<151 cm	206/493 (41.8)	179/485 (36.9)	1.16 (0.95-1.34)
150-164 cm	70/307 (22.8)	70/310 (22.6)	1.00 (0.84-1.19)
>165 cm	44/364 (12.1)	49/369 (13.3)	0.90 (0.62-1.31)
Birthweight			
Male	180/608 (29.6)	182/605 (30.1)	1.05 (0.90-1.22)
Female	140/563 (24.9)	117/579 (20.2)	1.29 (0.98-1.69)
Socioeconomic status index			
<Median	190/557 (34.1)	175/522 (33.5)	1.18 (1.01-1.38)
>Median	131/614 (21.3)	124/662 (18.7)	1.00 (0.82-1.23)
Fixed immunity			
<Median	196/607 (32.3)	158/602 (26.4)	1.20 (1.02-1.40)
>Median	120/454 (26.7)	131/506 (26.1)	0.99 (0.82-1.20)
Generation at time of intervention			
<18 wk	157/592 (26.7)	209/1184 (17.6)	1.05 (0.90-1.22)
>18 wk	164/579 (28.3)	299/1184 (25.3)	1.16 (1.00-1.35)
Small-area for geographical age			
<=1.28 z scores	172/375 (45.9)	168/403 (41.7)	1.10 (0.94-1.28)
>1.28 z scores	149/796 (18.7)	131/780 (16.8)	1.15 (0.96-1.40)

2

Sign In

EMAIL ADDRESS

EMAIL ADDRESS

PASSWORD

PASSWORD

☐ Remember Me

Forgot your password?

SIGN IN

Don't have an account?

Create an account

Subscribe

Login via your institution

→

Remote access options for institutional patrons [here](#).

3. Remote Access Account จะมีอายุการใช้งาน 180 วัน เมื่อครบกำหนดผู้ใช้จะต้องดำเนินการต่ออายุ Account โดยการ Sign in Account ภายใต้อินเทอร์เน็ต (IP Range) ของโรงพยาบาลอีกครั้ง